



March High Master 48x52mm & 40x-60x52mm

		D48F52	D60EV52
Focal Plane		Second Focal Plane	
Magnification	Low	48x	40x
	High		60x
Effective Lens Diameter		52mm	
Body Tube Diameter		30mm	
Exit Pupil	Low	1.08mm (0.04inch)	1.24mm (0.05inch)
	High		0.89mm (0.04inch)
Field of View (real)	degree	0.52°	0.49°
	ft/100yd	2.7ft	2.6ft
	m/100m	0.90m	0.85m
Eye Relief	Low	66-81mm (2.6-3.2inch)	71-89mm (2.8-3.5inch)
	High		59-72mm (2.3-2.8inch)
1 Click Adjustment		1/8MOA	
Elevation Travel		60MOA	
Windage Travel		60MOA	
Focus		Side focus	
Focus Distance		10yd - infinity	
Reticle		CH 1/8dot 3/32dot 1/16dot LR	
Illuminated		-	
Adjustment Dial Cap		○	
Adjustment Dial		Normal	
0-Set Device		-	
In the Box		Leather Caps (Objective and Eyepiece) MD disk, Lens Cloth	
Scope Size 	A	370mm (14.6inch)	374-397mm (14.7-15.6inch)
	B	177mm (7.0inch)	162mm (6.4inch)
	C	60mm (2.4inch)	
	D	41mm (1.6inch)	
	E	126mm (5.0inch)	126mm (5.0inch)
	F	67mm (2.6inch)	86-109mm (3.4-4.3inch)
	G	70mm (2.8inch)	
	H	70mm (2.8inch)	55mm (2.2inch)
	Weight		645g (22.8oz)

All scopes are Argon gas filled.

Specification are subject to change without notice.
©Deon Optical Design Co.


March 1x-4x24mm & 1x-4.5x24mm

		D4V24IML	D4.5V24TI	
Focal Plane		Second Focal Plane		
Magnification	Low	1x	1x	
	High	4x	4.5x	
Effective Lens Diameter		24mm		
Body Tube Diameter		30mm		
Exit Pupil	Low	17.8mm (0.7inch)	16.0mm (0.6inch)	
	High	6.0mm (0.2inch)	5.33mm (0.2inch)	
Field of View (real)	Low	degree	19.0°	19.0°
		ft/100yd	100.4 ft	100.4 ft
		m/100m	33.47 m	33.47 m
	High	degree	4.7°	4.2°
		ft/100yd	24.9 ft	22.12 ft
		m/100m	8.20 m	7.37 m
Eye Relief	Low	64-94mm (2.5-3.7inch)	73-103mm (2.9-4.0inch)	
	High	61-94mm (2.4-3.7inch)	73-103mm (2.9-4.0inch)	
1 Click Adjustment		0.1MIL	1/4MOA	
Elevation Travel		56MIL	200MOA	
Windage Travel		56MIL	200MOA	
Focus		Fixed	Side Focus	
Focus Distance		100yd	10yd - Infinity	
Reticle		FD-1	MTR-D2	
Illuminated			○	
Adjustment Dial Cap		○	-	
Adjustment Dial		Normal	Tactical	
0-Set Device		-	○	
In the Box		Flip Caps (Objective and Eyepiece) Fast Lever, Lens Cloth		
Scope Size 	A	258mm (10.16inch)	260mm (10.24inch)	
	B	129mm (5.08inch)	131mm (5.16inch)	
	C	33mm (1.30inch)		
	D	41mm (1.61inch)		
	E	35mm (1.38inch)		
	F	94mm (3.70inch)		
	G	49mm (1.93inch)		
	H	42mm (1.65inch)	46mm (1.81inch)	
	Weight	520g (18.34oz)	530g (19.70oz)	

All scopes are Argon gas filled.

Specification are subject to change without notice.
©Deon Optical Design Co.


March 1x-10x24mm

		D10V24	D10V24M	D10V24T	D10V24TM	D10V24TI	D10V24TML	D10V24TIML
Focal Plane		Second Focal Plane						
Magnification	Low	1x						
	High	10x						
Effective Lens Diameter		24mm						
Body Tube Diameter		30mm						
Exit Pupil	Low	-						
	High	2.4mm (0.09inch)						
Field of View (real)	Low	degree	20.0°					
		ft/100yd	105.8 ft					
		m/100m	35.27 m					
	High	degree	2.0°					
		ft/100yd	10.5 ft					
		m/100m	3.49 m					
Eye Relief	Low	86-98mm (3.4-3.9inch)						
	High	86-96mm (3.4-3.8inch)						
1 Click Adjustment		1/4MOA					0.1MIL	
Elevation Travel		200MOA					56MIL	
Windage Travel		200MOA					56MIL	
Focus		Side focus						
Focus Distance		10yd - infinity						
Reticle		CH Di-plex	MTR-1 MTR-2 MTR-3 MTR-4	CH Di-plex	MTR-1 MTR-2 MTR-3 MTR-4 MTR-5	MML		
Illuminated		-				○	-	○
Adjustment Dial Cap		○			-			
Adjustment Dial		Normal			Tactical			
0-Set Device		-			○			
In the Box		Flip Caps (Objective and Eyepiece) Lens Cloth						
Scope Size 	A	262mm (10.3inch)	264mm (10.4inch)	262mm (10.3inch)	264mm (10.4inch)			
	B	135mm (5.3inch)						
	C	33mm (1.3inch)						
	D	41mm (1.6inch)						
	E	35mm (1.4inch)						
	F	92mm (3.6inch)	94mm (3.7inch)	92mm (3.6inch)	94mm (3.7inch)			
	G	49mm (1.9inch)						
	H	48mm (1.9inch)						
	Weight	520g (18.3oz)	530g (18.7oz)			560g (19.8oz)	530g (18.7oz)	560g (19.8oz)

All scopes are Argon gas filled.

Specification are subject to change without notice.
©Deon Optical Design Co.


March 2.5x-25x42mm

		D25V42	D25V42M	D25V42T	D25V42TM	D25V42TI	D25V42TML	D25V42TIML	
Focal Plane		Second Focal Plane							
Magnification	Low	2.5x							
	High	25x							
Effective Lens Diameter		42mm							
Body Tube Diameter		30mm							
Exit Pupil	Low	-							
	High	1.68mm (0.07inch)							
Field of View (real)	Low	degree	8.0°						
		ft/100yd	42.0 ft						
		m/100m	13.99 m						
	High	degree	0.8°						
		ft/100yd	4.2 ft						
		m/100m	1.40 m						
Eye Relief	Low	85-100mm (3.3-3.9inch)							
	High	89-96mm (3.5-3.8inch)							
1 Click Adjustment		1/4MOA					0.1MIL		
Elevation Travel		100MOA					28MIL		
Windage Travel		100MOA					28MIL		
Focus		Side focus							
Focus Distance		10yd - infinity							
Reticle		CH 1/4dot Di-plex	MTR-1 MTR-2 MTR-3 MTR-4	CH 1/4dot Di-plex	MTR-1 MTR-2 MTR-3 MTR-4 MTR-FT	MTR-1, MTR-2 MTR-3, MTR-4 MTR-5 MTR-FT	MML		
Illuminated		-			○	-	○		
Adjustment Dial Cap		○			-				
Adjustment Dial		Normal			Tactical				
0-Set Device		-			○				
In the Box		Flip Caps (Objective and Eyepiece) Lens Cloth			Flip Caps (Objective and Eyepiece) Sunshade, Lens Cloth				
Scope Size 	A	312mm (12.3inch)	314mm (12.4inch)	312mm (12.3inch)	314mm (12.4inch)				
	B	139mm (5.5inch)							
	C	51mm (2.0inch)							
	D	41mm (1.6inch)							
	E	81mm (3.2inch)							
	F	92mm (3.6inch)	94mm (3.7inch)	92mm (3.6inch)	94mm (3.7inch)				
	G	53mm (2.1inch)							
	H	48mm (3.7inch)							
	Weight	610g (21.5oz)	620g (21.9oz)			650g (23.0oz)	620g (21.9oz)	650g (23.0oz)	

All scopes are Argon gas filled.

Specification are subject to change without notice.
©Deon Optical Design Co.


March 2.5x-25x52mm

		D25V52T	D25V52TM	D25V52TI	D25V52TML	D25V52TIML
Focal Plane		Second Focal Plane				
Magnification	Low	2.5x				
	High	25x				
Effective Lens Diameter		52mm				
Body Tube Diameter		30mm				
Exit Pupil	Low	-				
	High	2.08mm (0.08inch)				
Field of View (real)	Low	degree	8.0°			
		ft/100yd	42.0 ft			
		m/100m	13.99 m			
	High	degree	0.8°			
		ft/100yd	4.2 ft			
		m/100m	1.40 m			
Eye Relief	Low	85-100mm (3.4-3.9inch)				
	High	89-96mm (3.5-3.8inch)				
1 Click Adjustment		1/4MOA			0.1MIL	
Elevation Travel		120MOA			34MIL	
Windage Travel		60MOA			17MIL	
Focus		Side focus				
Focus Distance		10yd - infinity				
Reticle		CH 1/4dot Di-plex	MTR-1 MTR-2 MTR-3 MTR-4 MTR-FT	MTR-1, MTR-2 MTR-3, MTR-4 MTR-5 MTR-FT	MML	
Illuminated		-	○	-	○	
Adjustment Dial Cap		-				
Adjustment Dial		Tactical				
0-Set Device		○				
In the Box		Flip Caps (Objective and Eyepiece) Sunshade, Lens Cloth				
Scope Size 	A	336mm (13.2inch)	338mm (13.3inch)			
	B	139mm (5.5inch)				
	C	60mm (2.4inch)				
	D	41mm (1.6inch)				
	E	105mm (4.1inch)				
	F	92mm (3.6inch)	94mm (3.7inch)			
	G	53mm (2.1inch)				
	H	48mm (1.9inch)				
	Weight	665g (23.5oz)		695g (24.5oz)	665g (23.5oz)	695g (24.5oz)

All scopes are Argon gas filled.

Specification are subject to change without notice.
©Deon Optical Design Co.


March 5x-32x52mm

		D32V52L	D32V52LM	D32V52T	D32V52TM	D32V52TI
Focal Plane		Second Focal Plane				
Magnification	Low	5x				
	High	32x				
Effective Lens Diameter		52mm				
Body Tube Diameter		30mm				
Exit Pupil	Low	-				
	High	1.63mm (0.06inch)				
Field of View (real)	Low	degree	4.0°			
		ft/100yd	21.0 ft			
		m/100m	6.98 m			
	High	degree	0.63°			
		ft/100yd	3.3 ft			
		m/100m	1.09 m			
Eye Relief	Low	86-97mm (3.4-3.8inch)				
	High	91-97mm (3.6-3.8inch)				
1 Click Adjustment		1/8MOA		1/8MOA (1/4MOA*)		
Elevation Travel		60MOA				
Windage Travel		40MOA				
Focus		Side focus				
Focus Distance		10yd - infinity				
Reticle		CH 1/8dot 3/32dot 1/16dot Di-plex	MTR-1 MTR-2 MTR-3 MTR-4	CH 1/8dot 3/32dot 1/16dot Di-plex	MTR-1 MTR-2 MTR-3 MTR-4 MTR-FT	MTR-1, MTR-2 MTR-3, MTR-4 MTR-5 MTR-FT
Illuminated		-				○
Adjustment Dial Cap		○		-		
Adjustment Dial		Normal		Tactical		
0-Set Device		-		○		
In the Box		Flip Caps (Objective and Eyepiece) MD disk, Sunshade Lens Cloth				
Scope Size 	A	407mm (16.0inch)	409mm (16.1inch)	407mm (16.0inch)	409mm (16.1inch)	
	B	173mm (6.8inch)				
	C	60mm (2.4inch)				
	D	41mm (1.6inch)				
	E	142mm (5.6inch)				
	F	92mm (3.6inch)	94mm (3.7inch)	92mm (3.6inch)	94mm (3.7inch)	
	G	79mm (3.1inch)				
	H	57mm (2.2inch)				
	Weight	670g (23.6oz)	680g (24.0oz)	690g (24.3oz)	700g (24.7oz)	730g (25.7oz)

All scopes are Argon gas filled.
*Can also choose 1/4MOA type.

Specification are subject to change without notice.
©Deon Optical Design Co.


March 10x-60x52mm

		D60V52L	D60V52LM	D60V52T	D60V52TM	D60V52TI
Focal Plane		Second Focal Plane				
Magnification	Low	10x				
	High	60x				
Effective Lens Diameter		52mm				
Body Tube Diameter		30mm				
Exit Pupil	Low	-				
	High	0.86mm (0.03inch)				
Field of View (real)	Low	degree	2.0°			
		ft/100yd	10.5 ft			
		m/100m	3.49 m			
	High	degree	0.33°			
		ft/100yd	1.7 ft			
		m/100m	0.58m			
Eye Relief	Low	88-99mm (3.5-3.9inch)				
	High	95-101mm (3.7-4.0inch)				
1 Click Adjustment		1/8MOA		1/8MOA (1/4MOA*)		
Elevation Travel		60MOA				
Windage Travel		40MOA				
Focus		Side focus				
Focus Distance		10yd - infinity				
Reticle		CH 1/8dot 3/32dot 1/16dot Di-plex	MTR-1 MTR-2 MTR-3 MTR-4	CH 1/8dot 3/32dot 1/16dot Di-plex	MTR-1 MTR-2 MTR-3 MTR-4 MTR-FT	MTR-1, MTR-2 MTR-3, MTR-4 MTR-5 MTR-FT
Illuminated		-				○
Adjustment Dial Cap		○		-		
Adjustment Dial		Normal			Tactical	
0-Set Device		-			○	
In the Box		Flip Caps (Objective and Eyepiece) MD disk, Sunshade Lens Cloth				
Scope Size 	A	418mm (16.4inch)	420mm (16.5inch)	418mm (16.4inch)	420mm (16.5inch)	
	B	173mm (6.8inch)				
	C	60mm (2.4inch)				
	D	41mm (1.6inch)				
	E	142mm (5.6inch)				
	F	103mm (4.0inch)	105mm (4.1inch)	103mm (4.0inch)	105mm (4.1inch)	
	G	79mm (3.1inch)				
	H	57mm (2.2inch)				
	Weight	700g (24.7oz)	710g (25.0oz)	720g (25.4oz)	730g (25.8oz)	760g (26.8oz)

All scopes are Argon gas filled.
*Can also choose 1/4MOA type.

Specification are subject to change without notice.
©Deon Optical Design Co.


March-X 5x-50x56mm

		D50V56T	D50V56TM	D50V56TI
Focal Plane		Second Focal Plane		
Magnification	Low	5x		
	High	50x		
Effective Lens Diameter		56mm		
Body Tube Diameter		34mm		
Exit Pupil	Low	-		
	High	1.12mm (0.04inch)		
Field of View (real)	Low	degree	4.0°	
		ft/100yd	21.0 ft	
		m/100m	6.98m	
	High	degree	0.4°	
		ft/100yd	2.1 ft	
		m/100m	0.70m	
Eye Relief	Low	96-101mm (3.8-4.0inch)		
	High	92-98mm (3.6-3.8inch)		
1 Click Adjustment		1/8MOA (1/4MOA*)		
Elevation Travel		60MOA		
Windage Travel		40MOA		
Focus		Side focus		
Focus Distance		10yd - infinity		
Reticle		CH 1/8dot 3/32dot 1/16dot Di-plex	MTR-1 MTR-2 MTR-3 MTR-4 MTR-FT	MTR-1, MTR-2 MTR-3, MTR-4 MTR-5 MTR-FT
Illuminated		-		○
Adjustment Dial Cap		-		
Adjustment Dial		Tactical		
0-Set Device		○		
In the Box		Flip Caps (Objective and Eyepiece) SunShade, Lens Cloth		
Scope Size 	A	398mm (15.7inch)	400mm (15.7inch)	
	B	166mm (6.5inch)		
	C	64mm (2.5inch)		
	D	41mm (1.6inch)		
	E	144mm (5.7inch)		
	F	88mm (3.5inch)	90mm (3.5inch)	
	G	79mm (3.1inch)		
	H	51mm (2.0inch)		
	Weight	830g (29.2oz)	840g (29.6oz)	870g (30.7oz)

All scopes are Argon gas filled.
*Can also choose 1/4MOA type.

Specification are subject to change without notice.
©Deon Optical Design Co.


March-X 8x-80x56mm

		D80V56T D80V56ST	D80V56TM D80V56STM	D80V56TI D80V56STI
Focal Plane		Second Focal Plane		
Magnification	Low	8x		
	High	80x		
Effective Lens Diameter		56 mm		
Body Tube Diameter		34 mm		
Exit Pupil	Low	-		
	High	0.7mm (0.03inch)		
Field of View (real)	Low	degree	2.5°	
		ft/100yd	13.2 ft	
		m/100m	4.36 m	
	High	degree	0.25°	
		ft/100yd	1.3 ft	
		m/100m	0.44 m	
Eye Relief	Low	89-95mm (3.5-3.7inch)		
	High	83-97mm (3.3-3.8inch)		
1 Click Adjustment		1/8MOA (1/4MOA*)		
Elevation Travel		60MOA		
Windage Travel		40MOA		
Focus		Side focus		
Focus Distance		10yd - infinity		
Reticle		CH 1/8dot 3/32dot 1/16dot Di-plex	MTR-1 MTR-2 MTR-3 MTR-4 MTR-FT	MTR-1, MTR-2 MTR-3, MTR-4 MTR-5 MTR-FT
Illuminated		-		○
Adjustment Dial Cap		-		
Adjustment Dial		Tactical		
0-Set Device		○		
In the Box		Flip Caps (Objective and Eyepiece) SunShade, Lens Cloth		
Scope Size 	A	407mm (16.0inch)	409mm (16.1inch)	
	B	175mm (6.9inch)		
	C	64mm (2.5inch)		
	D	41mm (1.6inch)		
	E	144mm (5.7inch)		
	F	88mm (3.5inch)	90mm (3.5inch)	
	G	79mm (3.1inch)		
	H	60mm (2.4inch)		
	Weight	845g (29.8oz)	855g (30.2oz)	885g (31.2oz)

All scopes are Argon gas filled.
*Can also choose 1/4MOA type.

Specification are subject to change without notice.
©Deon Optical Design Co.


March-X High Master 10x-60x56mm

		D60HV56T	D60HV56TM	D60HV56TI
Focal Plane		Second Focal Plane		
Magnification	Low	10x		
	High	60x		
Effective Lens Diameter		56 mm		
Body Tube Diameter		34 mm		
Exit Pupil	Low	-		
	High	0.94mm (0.04inch)		
Field of View (real)	Low	degree	1.9°	
		ft/100yd	10.2 ft	
		m/100m	3.40 m	
	High	degree	0.32°	
		ft/100yd	1.7 ft	
		m/100m	0.57 m	
Eye Relief	Low	80-107mm (3.15-4.21inch)		
	High	92-102mm (3.62-4.02inch)		
1 Click Adjustment		1/8MOA (1/4MOA*)		
Elevation Travel		60MOA		
Windage Travel		40MOA		
Focus		Side focus		
Focus Distance		10yd - infinity		
Reticle		CH 1/8dot 3/32dot 1/16dot Di-plex	MTR-1 MTR-2 MTR-3 MTR-4 MTR-FT	MTR-1, MTR-2 MTR-3, MTR-4 MTR-5 MTR-FT
Illuminated		-		○
Adjustment Dial Cap		-		
Adjustment Dial		Tactical		
0-Set Device		○		
In the Box		Flip Caps (Objective and Eyepiece) SunShade, Lens Cloth		
Scope Size 	A	411mm (16.18inch)	413mm (16.26inch)	
	B	180mm (7.09inch)		
	C	64mm (2.52inch)		
	D	41mm (1.61inch)		
	E	134mm (5.28inch)		
	F	97mm (3.82inch)	99mm (3.90inch)	
	G	81mm (3.19inch)		
	H	63mm (2.48inch)		
	Weight	925g (32.63oz)	930g (32.80oz)	960g (33.86oz)

All scopes are Argon gas filled.
*Can also choose 1/4MOA type.

Specification are subject to change without notice.
©Deon Optical Design Co.

March-F 1x-8x24mm


		D8V24FML	D8V24FIML
Focal Plane		First Focal Plane	
Magnification	Low	1x	
	High	8x	
Effective Lens Diameter		24mm	
Body Tube Diameter		30mm	
Exit Pupil	Low	-	
	High	3.0 mm (0.12inch)	
Field of View (real)	Low	degree	20.0°
		ft/100yd	105.8 ft
		m/100m	35.27 m
	High	degree	2.5°
		ft/100yd	13.2 ft
		m/100m	4.36 m
Eye Relief	Low	86-98mm (3.4-3.9inch)	
	High	86-96mm (3.4-3.8inch)	
1 Click Adjustment		0.1MIL	
Elevation Travel		56MIL	
Windage Travel		56MIL	
Focus		Side focus	
Focus Distance		10yd - infinity	
Reticle		FMC-1 FMC-2	
Illuminated		-	○
Adjustment Dial Cap		-	
Adjustment Dial		Tactical	
0-Set Device		○	
In the Box		Flip Caps (Objective and Eyepice) Lens Cloth	
Scope Size 	A	258mm (10.2inch)	
	B	129mm (5.1inch)	
	C	33mm (1.3inch)	
	D	41mm (1.6inch)	
	E	35mm (1.4inch)	
	F	94mm (3.7inch)	
	G	49mm (1.9inch)	
	H	42mm (1.7inch)	
	Weight	530g (18.7oz)	560g (19.8oz)

All scopes are Argon gas filled.

Specification are subject to change without notice.
©Deon Optical Design Co.

March-F 1x-8x24mm Shorty


D8SV24FIML

Focal Plane		First Focal Plane	
Magnification	Low	1x	
	High	8x	
Effective Lens Diameter		24mm	
Body Tube Diameter		30mm	
Exit Pupil	Low	-	
	High	3.0 mm (0.12inch)	
Field of View (real)	Low	degree	20.0°
		ft/100yd	105.8 ft
		m/100m	35.27 m
	High	degree	2.5°
		ft/100yd	13.2 ft
		m/100m	4.36 m
Eye Relief	Low	86-98mm (3.4-3.9inch)	
	High	86-96mm (3.4-3.8inch)	
1 Click Adjustment		0.1MIL	
Elevation Travel		56MIL	
Windage Travel		56MIL	
Focus		Fixed	
Focus Distance		100 yards	
Reticle		FMC-1 FMC-2	
Illuminated		○	
Adjustment Dial Cap		-	
Adjustment Dial		Tactical	
0-Set Device		○	
In the Box		Flip Caps (Objective and Eyepice) Lens Cloth	
Scope Size 	A	212mm (8.4inch)	
	B	83mm (3.3inch)	
	C	33mm (1.3inch)	
	D	41mm (1.6inch)	
	E	35mm (1.4inch)	
	F	94mm (3.7inch)	
	G	3mm (0.1inch)	
	H	42mm (1.7inch)	
	Weight	485g (19.1oz)	

All scopes are Argon gas filled.

Specification are subject to change without notice.
©Deon Optical Design Co.


March-F 3x-24x42mm

		D24V42FML	D24V42FIML	D24V42FMA	D24V42FIMA
Focal Plane		First Focal Plane			
Magnification	Low	3x			
	High	24x			
Effective Lens Diameter		42mm			
Body Tube Diameter		30mm			
Exit Pupil	Low	-			
	High	1.75 mm (0.12inch)			
Field of View (real)	Low	degree	6.67°		
		ft/100yd	35.0 ft		
		m/100m	11.66 m		
	High	degree	0.83°		
		ft/100yd	4.3 ft		
		m/100m	1.45 m		
Eye Relief	Low	85-100mm (3.4-3.9inch)			
	High	89-96mm (3.4-3.8inch)			
1 Click Adjustment		0.1MIL		1/4MOA	
Elevation Travel		28MIL		100MOA	
Windage Travel		28MIL		100MOA	
Focus		Side focus			
Focus Distance		10yd - infinity			
Reticle		FML, FML-1 FML-T1		FMA-2	FMA-1
Illuminated		-	○	-	○
Adjustment Dial Cap		-			
Adjustment Dial		Tactical			
0-Set Device		○			
In the Box		Flip Caps (Objective and Eyepiece) Sunshade, Lens Cloth			
Scope Size 	A	312mm (12.3inch)			
	B	139mm (5.5inch)			
	C	51mm (2.0inch)			
	D	41mm (1.6inch)			
	E	81mm (3.2inch)			
	F	92mm (3.6inch)			
	G	53mm (2.1inch)			
	H	48mm (3.7inch)			
	Weight	610g (21.5oz)	640g (22.6oz)	610g (21.5oz)	640g (22.6oz)

All scopes are Argon gas filled.

Specification are subject to change without notice.
©Deon Optical Design Co.


March-F 3x-24x52mm

		D24V52FML	D24V52FIML	D24V52FMA	D24V52FIMA
Focal Plane		First Focal Plane			
Magnification	Low	3x			
	High	24x			
Effective Lens Diameter		52mm			
Body Tube Diameter		30mm			
Exit Pupil	Low	-			
	High	2.17 mm (0.12inch)			
Field of View (real)	Low	degree	6.67°		
		ft/100yd	35.0 ft		
		m/100m	11.66 m		
	High	degree	0.83°		
		ft/100yd	4.3 ft		
		m/100m	1.45 m		
Eye Relief	Low	85-100mm (3.4-3.9inch)			
	High	89-96mm (3.4-3.8inch)			
1 Click Adjustment		0.1MIL		1/4MOA	
Elevation Travel		34MIL		120MOA	
Windage Travel		17MIL		60MOA	
Focus		Side focus			
Focus Distance		10yd - infinity			
Reticle		FML, FML-1 FML-T1		FMA-2	FMA-1
Illuminated		-	○	-	○
Adjustment Dial Cap		-			
Adjustment Dial		Tactical			
0-Set Device		○			
In the Box		Flip Caps (Objective and Eyepiece) Sunshade, Lens Cloth			
Scope Size 	A	336mm (13.2inch)			
	B	139mm (5.5inch)			
	C	60mm (2.4inch)			
	D	41mm (1.6inch)			
	E	105mm (4.1inch)			
	F	92mm (3.6inch)			
	G	53mm (2.1inch)			
	H	48mm (1.9inch)			
	Weight	665g (23.5oz)	695g (24.5oz)	665g (23.5oz)	695g (24.5oz)

All scopes are Argon gas filled.

Specification are subject to change without notice.
©Deon Optical Design Co.

March-FX 5x-40x56mm

		D40V56FML	D40V56FIML	D40V56FML10	D40V56FIML10	D40V56FMA4	D40V56FIMA4	D40V56FMA8	D40V56FIMA8
Focal Plane		First Focal Plane							
Magnification	Low	5x							
	High	40x							
Effective Lens Diameter		56mm							
Body Tube Diameter		34mm							
Exit Pupil	Low	-							
	High	1.4 mm (0.06inch)							
Field of View (real)	Low	degree	4.0°						
		ft/100yd	21.0 ft						
		m/100m	6.98 m						
	High	degree	0.5°						
		ft/100yd	2.6 ft						
		m/100m	0.87 m						
Eye Relief	Low	96-100mm (3.8-3.9inch)							
	High	92-98mm (3.6-3.8inch)							
1 Click Adjustment		0.05MIL	0.1MIL		1/4MOA		1/8MOA		
Elevation Travel		24MIL			66MOA				
Windage Travel		12MIL			38MOA				
Focus		Side focus							
Focus Distance		10yd - infinity							
Reticle		FML-1			FMA-2	FMA-1	FMA-2	FMA-1	
Illuminated		-	○	-	○	-	○	-	○
Adjustment Dial Cap		-							
Adjustment Dial		Tactical							
0-Set Device		○							
In the Box		Flip Caps (Objective and Eyepiece) Sunshade, Lens Cloth							
Scope Size 	A	387mm (15.2inch)							
	B	155mm (6.1inch)							
	C	64mm (2.5inch)							
	D	41mm (1.6inch)							
	E	144mm (5.7inch)							
	F	88mm (3.5inch)							
	G	66mm (2.6inch)							
	H	52mm (2.0inch)							
	Weight		860g (30.3oz)	890g (31.4oz)	860g (30.3oz)	890g (31.4oz)	860g (30.3oz)	890g (31.4oz)	860g (30.3oz)

All scopes are Argon gas filled.

Specification are subject to change without notice.
©Deon Optical Design Co.